

Products Parameter and Quotations

Name	Paper Cup Forming Machine	
Model	SM SW-150E	
Paper Cup Size	1 OZ-10 OZ (25 -280 ml)	
Raw Material	One-side or two-side PE coated paper (Single PE or Double PE coated paper)	
Speed	130-150 pcs/min	
Suitable weight paper	160-300g/m ² ; ±20g/m ²	
Voltage supply	380V(220V) 50HZ (60HZ)	
cup size	Bottom 30-58 mm, top 40-80mm, high 30-100 mm	
Working Air Source	0.4-0.6 Mpa ; 0.4 m ³ /min	
Total power	12kw	
Net weight	1550kg	
Measurement (mm)		L:1890 mm;W:1050 mm; H:1680 mm
	100kg	L:900 mm; W:600 mm; H:1500 mm
Cup Side Sealing	Ultrasonic + Hot -blast air	
Bottom Knurling	Hot-blast air	
Guarantee	Two years (24 months) guarantee after installation date	
We can customize production according to customer requirements		


Appliance configuration table

Name	Brand	Place of Origin
Main motor	ZY	zhejiang
Knurled motor	Lishi	Shanghai,China
Bottom feeding motor	Zhongda Motro	Ningbo,China
Bottom stepping motor	SOYO	Changzhou,china
Lubricating motor	TROCHOLD PUMP	china
Touch screen	Inovance	Shenzhen,china
Total switch	Schneider	France
Frequency converter	Inovance	Shenzhen,china
PLC	Inovance	shenzhen
AC contactor	Schneider	France
Sensor	OMRON	Japan
Ultrasonic system	xinhengxiang	china
Driver	Huilin Precision	Shandong,China
Button switch	Autonics	South Korea
Temperature module	Autonics	South Korea
Pneumatic components	pneulead	Airtac,Taiwan,China

Machine Picture








New Multi-function cam design



The left Cam is for control the left closing holder.

The right Cam is for control the right closing holder.



The middle Cam is for controlling Sucker and Rod Hold paper fan

Machine inner with [Single Shaft from Start to End](#) for control whole machine Running which difficult broken and easy control whole machine running.



Automatic Oil Lubrication System for oil lubrication machine moving spare parts which to **make sure machine running high speed but spare still keep long span life**

Automatic oil Lubrication system

Manual oil machine moving parts: the worker to do it which easy forget it.

If machine runs long time without oil lubrication, the machine will be very easy broken.

Machine with reducer motor which keep sure machine running stable in high Speed (Normal Machine the Motor and reducer is separate connected by belt each broken if run high Speed)



internally geared reducer motor

Paper Cup Sample



Single Wall

4 oz HOT DRINK CUP



S T A N D A R T

P R O D U C T

EXAMPLE WITH YOUR DESIGN



7 oz HOT DRINK CUP VENDING



S T A N D A R T

P R O D U C T

EXAMPLE WITH YOUR DESIGN



4 oz HOT CUP KRAFT



KRAFT CUP

16 oz HOT CUP KRAFT

Diameter 90 mm



EXAMPLE WITH YOUR DESIGN

Contact Information



+90 552 442 33 07

+90 552 632 30 07



info@suramachine.com



www.suramachine.com www.surapack.com

Dudullu OSB District, DES Sanayi Sitesi, 101. Sokak No 8/10, 34775 Ümraniye/İstanbul Turkey



Telefon: +90 216 415 66 55

+90 216 420 47 30

+90 850 305 47 30

+90 552 632 30 07